

SHIUA

COMMERCIAL BROCHURE



SHIUA
STAY HEALTHY, UNLOCK ABILITY

WEB: WWW.SHUAFITNESS.COM MAIL: SHUHUA@SHUHUA.COM



9100 SERIES | CARDIO | 88 SERIES | 77 SERIES | 69 SERIES | 89 SERIES | 68 SERIES



CONTENTS

| | |
|-------------------------|----|
| PATH OF PROGRESS | 02 |
|-------------------------|----|

CARDIO

| | |
|--------------|----|
| 9100 Series | 08 |
| Other Cardio | 14 |


STRENGTH

| | |
|-----------------|----|
| 88 Selectorized | 28 |
| 77 Hybrid | 50 |
| 69 Plate Loaded | 58 |
| 89 Plate Loaded | 68 |
| 68 Selectorized | 80 |

| | |
|-----------------|----|
| SERVICES | 94 |
|-----------------|----|

REDEFINE EXCELLENCE IN FITNESS EQUIPMENT


As the official supplier for the Olympic Games, SHUA is synonymous with top-tier performance and reliability. Our dedication to innovation and quality has propelled us to become a mainboard listed company and an ACSM certified partner, a testament to our enduring success and trustworthiness in the industry. Choose SHUA for unparalleled partnership, experience the difference that excellence makes in your fitness business journey.





OFFICIAL FITNESS EQUIPMENT SUPPLIER

SHUA has become a leading player in the fitness equipment industry, earning the prestigious role of official fitness equipment supplier for the Beijing 2022 Winter Olympics and Paralympics, including the Olympic and Paralympic Villages' fitness centers. This historic choice makes SHUA the first Chinese fitness equipment brand to be featured in the Olympics.



SHUA SPONSORED EQUIPMENT TO

2014

China Athletes Home at the 2014 Sochi Winter Olympics

2016

China Athletes Home at the 2016 Rio Olympic Games

2018

China Athletes Home at the 2018 Pyeongchang Winter Olympics

2020

Chinese Sports Delegation for the 2020 Tokyo Olympic Games

2022

2022 Beijing Winter Olympics (Official Supplier)

2023

2023 Hangzhou Asian Games (Official Supplier)

2024

Chinese Sports Delegation for the 2024 Paris Olympic Games



CARDIO


SHUA cardio series encompasses treadmills, elliptical trainers, exercise bikes, and rowing machines. With decades of research in ergonomics and human biomechanics, our cardio products ensure the utmost level of performance, safety, and durability.

9100 SERIES



Dynamic Adaptive Running Deck

The S2* New Variable Resistance Treadmill adopts air pressure dynamic running feel control technology, offering six running feel modes: rubber track, cement pavement, soft soil, asphalt pavement, flat grassland, and intelligent adaptation. With a one-click quick switch, it provides a more tailored running experience for different runners.



Scientific Gait Monitoring

The S2* features an intelligent sensing treadmill that continuously monitors running posture data, including impact force, left-right foot balance, cadence, stride length, and ground contact-to-air time ratio. It provides runners with guidance for posture optimization, supporting scientific running.



Laser Safety Shield

The S2* utilizes ToF (Time of Flight) laser distance sensing technology, combined with ST's third-generation FlightSense algorithm. It features automatic stain calibration and resistance to glass cover interference. The system can monitor whether the runner is within a safe zone. If the runner exceeds the safe range, it triggers a safety alert sound to ensure exercise safety.



Take Your Cardio
to the Next Level

NEW DIGITAL CONTROL SYSTEM

Introducing the SHUA Vital OS Console, a state-of-the-art system that delivers an unparalleled workout experience

Seamlessly syncing with your smartphone, it enhances your workout with personalized routines.

With easy access to essential information, our innovative interface ensures a focused and productive session.

Embark on virtual adventures and explore iconic destinations, all from the VitalOS digital console.



15.6"/21.5" Touch Screen



15.6" Keypad Screen



SH-T9100/SH-T9100T

COMMERCIAL TREADMILL

Drive System:
6.0 HP AC Dynamic Response Drive System

Speed Range: 0.5 - 25 km/h

Incline Range: -2 - 18%

Heart Rate:
Hand-grip Heart Rate
Wireless Heart Rate

Running Surface Area:
580 × 1570mm / 23 × 62 in

Max User Weight: 180 kg / 397 lbs

Dimensions(L×W×H):
2217 × 982 × 1814 mm
87 × 39 × 71 in

Net Weight: 220 kg / 485 lbs
Gross Weight: 260 kg / 573 lbs



SH-T9100

SH-B9100R/SH-B9100RT

COMMERCIAL RECUMBENT BIKE

Resistance System: Electromagnetic Resistance

Resistance Levels: 40 levels

Heart Rate: Hand-grip Heart Rate

Max User Weight: 180 kg / 397 lbs

Dimensions:
1663 × 620 × 1400 mm
65 × 24 × 55 in

Net Weight: 103 kg / 227 lbs
Gross Weight: 128 kg / 281 lbs

SH-B9100RT
15.6" Touch ScreenSH-B9100R
15.6" LED

SH-B9100E/SH-B9100ET

COMMERCIAL ELLIPTICAL

Resistance System: Electromagnetic Resistance

Resistance Levels: 40 levels

Heart Rate: Hand-grip Heart Rate

Max User Weight: 180 kg / 397 lbs

Dimensions:
1825 × 872 × 1835 mm
72 × 34 × 72 in

Net Weight: 194 kg / 428 lbs
Gross Weight: 253 kg / 557 lbs

SH-B9100ET
15.6" Touch ScreenSH-B9100E
15.6" LED

SH-B9100U/SH-B9100UT

COMMERCIAL UPRIGHT BIKE

Resistance System: Electromagnetic Resistance

Resistance Levels: 40 levels

Heart Rate: Hand-grip Heart Rate

Max User Weight: 180 kg / 397 lbs

Dimensions:
1123 × 675 × 1506 mm
44 × 27 × 59 in

Net Weight: 79 kg / 174 lbs
Gross Weight: 100 kg / 219 lbs

SH-B9100UT
15.6" Touch ScreenSH-B9100U
15.6" LED

SH-S8901

Stair Climber **NEW**

Step Up to the Future – The All-New SHUA Fitness Stair Climber: Innovation Powers Every Step, Maximizes Engagement, and Redefines Cardio Excellence.



SH-S8901

STAIR CLIMBER

Resistance System: Electromagnetic Resistance

Resistance Levels: 40 levels

Heart Rate: Hand-grip Heart Rate

Max User Weight: 180 kg / 397 lbs

Dimensions:

1357 × 905 × 2230 mm


53 x 36 x 88 in

Net Weight: 154 kg / 339 lbs

Gross Weight: 200 kg / 441 lbs



SH-S8901
15.6" LED



Dual Water Bottle Holders



Wireless Charging Module



iPad Stand





SH-T8919/SH-T8919T

COMMERCIAL TREADMILL

Drive System:

6.0 HP AC Dynamic Response Drive System

Speed Range: 0.8 - 20 km/h / 0.5 - 12.4 mph

Incline Range: -3 - 15%

Heart Rate:

Hand-grip Heart Rate

Wireless Heart Rate

Running Surface Area:

580 × 1570 mm / 23 × 62 in

Max User Weight: 180 kg / 397 lbs

Dimensions(L×W×H):

2190 × 970 × 1600 mm

86 × 38 × 63 in

Net Weight: 191 kg / 421 lbs

Gross Weight: 243 kg / 536 lbs



SH-T850T

COMMERCIAL TREADMILL

Drive System:

5.0 HP AC Dynamic Response Drive System

Speed Range: 1.0 - 20 km/h / 0.6 - 12.4 mph

Incline Range: 0% - 15%

Heart Rate:

Hand-grip Heart Rate

Wireless Heart Rate

Running Surface Area:

520 × 1450 mm / 20 × 57 in

Max User Weight: 150 kg / 331 lbs

Dimensions(L×W×H):

1960 × 850 × 1573 mm

77 × 33 × 62 in

Net Weight: 135 kg / 298 lbs

Gross Weight: 158 kg / 348 lbs



SH-T8919T22

COMMERCIAL TREADMILL

Drive System:

6.0 HP AC Dynamic Response Drive System

Speed Range: 0.8 - 20 km/h / 0.5 - 12.4 mph

Incline Range: -3 - 15%

Heart Rate:

Hand-grip Heart Rate

Wireless Heart Rate

Running Surface Area:

580 × 1570 mm / 23 × 62 in

Max User Weight: 180 kg / 397 lbs

Dimensions(L×W×H):

2190 × 970 × 1600 mm

86 × 38 × 63 in

Net Weight: 191 kg / 421 lbs

Gross Weight: 243 kg / 536 lbs



SH-T6500S

COMMERCIAL TREADMILL

Drive System:

5.0 HP AC Dynamic Response Drive System

Speed Range: 1.0 - 20 km/h / 0.6 - 12.4 mph

Incline Range: 0% - 15%

Heart Rate:

Hand-grip Heart Rate

Wireless Heart Rate

Running Surface Area:

520 × 1450 mm / 20 × 57 in

Max User Weight: 145 kg / 320 lbs

Dimensions(L×W×H):

1960 × 850 × 1520 mm

77 × 33 × 60 in

Net Weight: 130 kg / 287 lbs

Gross Weight: 153 kg / 337 lbs



SH-T860

COMMERCIAL TREADMILL

Drive System:

6.0 HP AC Dynamic Response Drive System

Speed Range: 1.0~20km/h / 0.6~12.4 mph

Incline Range: -3 - 15%

Heart Rate:

Hand-grip Heart Rate

Wireless Heart Rate

Running Surface Area:

580 × 1570 mm / 23 × 62 in

Max User Weight: 180 kg / 397 lbs

Dimensions(L×W×H):

2190 × 960 × 1580 mm

86 × 38 × 62 in

Net Weight: 198 kg / 437 lbs

Gross Weight: 247 kg / 545 lbs



SH-T5918

COMMERCIAL TREADMILL

Drive System:

6.0 HP AC Dynamic Response Drive System

Speed Range: 0.8~20km/h / 0.5~12.4 mph

Incline Range: -3% - 15%

Heart Rate:

Hand-grip Heart Rate

Wireless Heart Rate

Running Surface Area:

580 × 1570 mm / 23 × 62 in

Max User Weight: 180 kg / 397 lbs

Dimensions(L×W×H):

2190 × 960 × 1580 mm

86 × 38 × 62 in

Net Weight: 198 kg / 437 lbs

Gross Weight: 247 kg / 545 lbs



SH-T860T

COMMERCIAL TREADMILL

Drive System:

6.0 HP AC Dynamic Response Drive System

Speed Range: 1.0~20km/h / 0.6~12.4 mph

Incline Range: -3 - 15%

Heart Rate:

Hand-grip Heart Rate

Wireless Heart Rate

Running Surface Area:

580 × 1570 mm / 23 × 62 in

Max User Weight: 180 kg / 397 lbs

Dimensions(L×W×H):

2190 × 960 × 1580 mm

86 × 38 × 62 in

Net Weight: 198 kg / 437 lbs

Gross Weight: 247 kg / 545 lbs



SH-T860T
15.6" Touch Screen

SH-T8700

COMMERCIAL TREADMILL

Drive System:

5.0 HP AC Dynamic Response Drive System

Speed Range: 1.0 - 20 km/h / 0.6 - 12.4 mph

Incline Range: 0% - 15%

Heart Rate:

Hand-grip Heart Rate

Wireless Heart Rate

Running Surface Area:

520 × 1450 mm / 20 × 57 in

Max User Weight: 150 kg / 331 lbs

Dimensions(L×W×H):

2030 × 910 × 1530 mm

80 × 36 × 60 in

Net Weight: 136.5 kg / 301 lbs

Gross Weight: 168.5 kg / 372 lbs



UNLEASH YOUR POWER WITH THE SELF-POWERED CURVED TREADMILL

Eco-Friendly – No electricity, fully powered by you.

Full-Body Workout – Engage every muscle with each stride.

Adjustable Intensity – Control your speed, fit for all levels.

Low Impact, High Burn – Easy on joints, tough on calories.

Curved Design – Promotes natural stride, full speed control, and pure athlete-driven performance.



SH-T901Z

SELF-POWERED CURVED TREADMILL

Magnetic Resistance: 8 levels

Heart Rate:

Wireless Heart Rate

Running Surface Area:

480 × 1500 mm / 19 × 59 in

Max User Weight: 180 kg / 397 lbs

Dimensions(L×W×H):

2343 × 964 × 1525 mm

92 × 38 × 60 in

Net Weight: 182 kg / 400 lbs

Gross Weight: 239 kg / 527 lbs



SH-E800

COMMERCIAL ELLIPTICAL

Resistance System: Electromagnetic Resistance

Resistance Levels: 32 levels

Heart Rate: Hand-grip Heart Rate

Max User Weight: 160 kg / 353 lbs

Dimensions:

1900 × 850 × 1760 mm

75 × 33 × 69 in

Net Weight: 130 kg / 287 lbs

Gross Weight: 150 kg / 330 lbs



SH-B8860SL

COMMERCIAL SPINNING BIKE

Fly Wheel: 23 kg / 51 lbs

Display Console : LCD

Resistance System:

Electromagnetic Resistance System

Max User Weight: 150 kg / 331 lbs

Dimensions(L×W×H):

1210 × 540 × 1200 mm

48 × 21 × 47 in



SH-R8100

COMMERCIAL ROWER

Resistance System:

Magnetic Resistance + Air Resistance

Resistance Levels: 16 levels

Max User Weight: 150 kg / 331 lbs

Dimensions(L×W×H):

2415 × 545 × 840 mm

95 × 21 × 33 in

Net Weight: 48 kg / 106 lbs

Gross Weight: 51 kg / 111 lbs



SH-R8800

COMMERCIAL ROWER

Resistance System:

Magnetic Resistance + Air Resistance

Resistance Levels: 20 levels

Max User Weight: 180 kg / 397 lbs

Dimensions(L×W×H):

2400 × 490 × 1100 mm

94 × 19 × 43 in

Net Weight: 60 kg / 132 lbs

Gross Weight: 68 kg / 150 lbs

